



MCANDREWS, HELD & MALLOY  
34TH FLOOR  
500 WEST MADISON STREET  
CHICAGO, ILLINOIS 60661

RECEIVED  
CENTRAL FAX CENTER

AUG 19 2005

TELEPHONE: (312) 775-8000

FACSIMILE: (312) 775-8100

## FAX COVER LETTER

### CONFIDENTIAL

THE ENCLOSED MATERIAL IS INTENDED FOR THE RECIPIENT NAMED BELOW AND, UNLESS OTHERWISE EXPRESSLY INDICATED, IS CONFIDENTIAL AND PRIVILEGED INFORMATION. ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THE ENCLOSED MATERIALS IS PROHIBITED. IF YOU RECEIVE THIS TRANSMISSION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE, AT OUR EXPENSE, AND DESTROY THE ENCLOSED MATERIALS. YOUR COOPERATION IS APPRECIATED.

TO: USPTO

FROM: Brian C. Bianco USER ID: 8037

DATE: August 19, 2005

FAX NO.: (571) 273-8300

CLIENT: 1194

MATTER: 13032US01

Number of Pages This Transmission (Including Cover Page): 9

Message: Please see the attached.

*If you have problems receiving this facsimile transmission, please contact the sender at the above telephone number.*

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**  
Attorney Docket Number 15-UL-5709 (13032USP1)**RECEIVED**  
**CENTRAL FAX CENTER****AUG 19 2005**

In the Application of:

Steven C. Miller

Examiner: James S. Wozniak

Serial No. 09/681,266

Filed: March 12, 2001

Group Art Unit: 2655

Title: Remote Control Of A Medical  
Device Using Speech Recognition  
And Foot ControlsAugust 19, 2005

Date

**RESPONSE****CERTIFICATION OF FACSIMILE TRANSMISSION**I hereby certify that this correspondence is being facsimile transmitted to the Patent and  
Trademark Office (FAX No. (571) 273-8300 on August 19, 2005.

Brian C. Bianco

Reg. No. 51,471

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Examiner Wozniak:

This Amendment and Response is being submitted in response to the Office  
Action dated June 24, 2005. This Amendment is timely because it is being mailed within  
the two-month period for response, which ends on August 24, 2005. Please enter and  
consider the following Amendment and Remarks.